3 (Sem-3) PHY M 2

2018

PHYSICS

(Major)

Paper: 3.2

(Current Electricity and Magnetostatics)

Full Marks: 60

Time: 3 hours

The figures in the margin indicate full marks for the questions

1. Answer the following:

 $1 \times 7 = 7$

- (a) What do you mean by electric current density?
- (b) The coefficient of coupling between two coils is 0.6. What does it mean?
- (c) What is thermocouple?
- (d) The Wheatstone bridge principle is also applicable to AC networks. State true or false
- (e) What is copper loss in transformer?
- (f) If an electron initially moving in the x-direction is subjected to a magnetic field in the z-direction, in which direction the electron will be deflected?
- (g) What do you mean by a magnetic dipole for a current loop?

2.	Answer	the	following	:
----	--------	-----	-----------	---

 $2 \times 4 = 8$

- (a) Draw the circuit diagram of Anderson's bridge for the measurement of inductance.
- (b) A condenser of capacitance 10 μF is charged to a potential of 100 volts. On connecting it across an unknown resistance, the voltage is found to fall to 67 volts in 40 seconds. What is the value of R?
- (c) Express the following quantities in exponential form:

(i) j

(ii) I-j

- (d) Explain the difference between a 'deadbeat galvanometer' and a 'ballistic galvanometer'.
- 3. Answer any three from the following: $5\times3=15$
 - (a) Find out an expression for the growth of current in a circuit containing a resistance and inductance.



5

5

- (b) Deduce an expression for self-inductance of a long solenoid carrying current.
- (c) Describe Peltier and Thomson effect and define thermo-electric power. 2+2+1=5

(d)	An a.c. e.	m.f.	of 20	0 volt	s (r.m	.s.)		
	frequency	50 H	z is	applie	ed to	a		
	resistance	of	100 o	hms	and	an		
	inductance	0.5	5 henry	y in	ser	ies.		
	Calculate the magnitude and phase of							
-	the current	All In						

5


5

- (e) State Ampere's circuital law and prove it.
- 4. Answer any three from the following: 10×3=30
 - (a) State the Kirchhoff's law for the distribution of current in a network. Apply the law to find the current in the galvanometer when the Wheatstone bridge is out of balance.

10

- (b) (i) Define and deduce Q-factor. 1+6=7
 - (ii) Calculate the potential difference across the inductor at resonance for the following circuit:

3




(c) A circuit is made up of two parallel branches a and b. Branch a consists of a resistance of 60 ohms, branch b consists of a resistance of 20 ohms in

(Turn Over)

series with a capacitor of capacitance $80\,\mu\text{F}$. An e.m.f. of 250 volts (r.m.s.) at 50 Hz is applied to the circuit. Determine—

- (i) the scalar admittance of the circuit;
- (ii) the total r.m.s. current;
- (iii) the r.m.s. current in each branch;
- (iv) the power factor for the circuit;
- (v) the total power absorbed.



- (d) Find out an expression for divergence and curl of a magnetic field. 5+5=10
- (e) What do you mean by magnetic scalar potential and vector potential?

 Derive an expression for the vector potential of current loop. 1+1+8=10
- (f) Write short notes on the following: $5\times2=10$
 - (i) Moving-coil galvanometer
 - (ii) Self- and mutual-induction

* * *

10